AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (Currently Amended) A polymer complex comprising the reaction product of one or more polymers having a terminal or pendant hydroxyl group, or a terminal or pendent carboxyl group, or combinations thereof, said one or more polymers including a ketone-formaldehyde copolymer, with at least one metal complex and at least one alkyl phosphate.
- 2. (Original) The polymer complex of claim 1, wherein said metal complex is metal orthoester.
- 3. (Original) The polymer complex of claim 2, wherein said metal orthoester has the formula metal(OR)₄, wherein each of the four R groups is independently an alkyl group.
- 4. (Original) The polymer complex of claim 3, wherein said alkyl group is a C_1 to C_8 alkyl group.
- 5. (Original) The polymer complex of claim 3, wherein said alkyl group is a C_3 to C_4 alkyl group.
- 6. (Original) The polymer complex of claim 2, wherein said metal orthoester is tetraisopropyltitanate.
- 7. (Previously Presented) The polymer complex of claim 1, wherein said alkyl phosphate is a monoalkyl phosphate having the formula $R_1PO(OH)_2$ and a dialkyl phosphate having the formula $(R_2O)(R_3O)PO(OH)$, wherein each of R_1 , R_2 and R_3 is independently an alkyl.
- 8. (Currently Amended) The polymer complex of claim 7, wherein said alkyl group is a C_1 to C_{10} alkyl group.
- 9. (Original) The polymer complex of claim 7, wherein said alkyl group is a C_1 to C_5 alkyl group.
- 10. (Original) The polymer complex of claim 1, wherein said alkyl phosphate is amyl acid phosphate.

11. (Original) The polymer complex of claim 1, wherein said polymer is natural or synthetic polymer

- 12. (Canceled)
- 13. (Currently Amended) An adhesion promoting agent in an ink or coating composition comprising the reaction product of one or more polymers having a terminal or pendant hydroxyl group, or a terminal or pendent carboxyl group, or combinations thereof, said one or more polymers including a ketone-formaldehyde copolymer, with at least one metal complex, and at least one alkyl phosphate.
- 14. (Original) The adhesion promoting agent of claim 13 wherein said agent also promotes viscosity stability in an ink or coating composition.
- 15. (Original) The agent of claim 13, wherein said metal complex is metal orthoester.
- 16. (Original) The agent of claim 15, wherein said metal orthoester has the formula metal(OR)₄, wherein each of the four R groups is independently an alkyl group.
- 17. (Original) The agent of claim 16, wherein said alkyl group is a C_1 to C_8 alkyl group.
- 18. (Original) The agent of claim 16, wherein said alkyl group is a C_3 to C_4 alkyl group.
- 19. (Original) The agent of claim 15, wherein said metal orthoester is tetraisopropyltitanate.
- 20. (Previously Presented) The agent of claim 13, wherein said alkyl phosphate is a monoalkyl phosphate having the formula $R_1PO(OH)_2$ and a dialkyl phosphate having the formula $(R_2O)(R_3O)PO(OH)$, wherein each of R_1 , R_2 and R_3 is independently an alkyl.
- 21. (Currently Amended) The agent of claim 20, wherein said alkyl group is a C_1 to C_{10} alkyl group.
- 22. (Original) The agent of claim 20, wherein said alkyl group is a C_1 to C_5 alkyl group.

23. (Original) The agent of claim 13, wherein said alkyl phosphate is amyl acid phosphate.

- 24. (Original) The agent of claim 13, wherein said polymer is natural or synthetic polymer.
 - 25. (Canceled)
- 26. (Currently Amended) An ink or coating composition containing an adhesion promoting agent comprising the reaction product of one or more polymers having a terminal or pendant hydroxyl group, or a terminal or pendent carboxyl group, or combinations thereof, said one or more polymers including a ketone-formaldehyde copolymer, with at least one metal complex and at least one alkyl phosphate.
- 27. (Original) The composition of claim 26, wherein said metal complex is metal orthoester.
- 28. (Original) The composition of claim 27, wherein said metal orthoester has the formula metal(OR)₄, wherein each of the four R groups is independently an alkyl group.
- 29. (Original) The composition of claim 28, wherein said alkyl group is a C_1 to C_8 alkyl group.
- 30. (Original) The composition of claim 28, wherein said alkyl group is a C_3 to C_4 alkyl group.
- 31. (Original) The composition of claim 27, wherein said metal orthoester is tetraisopropyltitanate.
- 32. (Previously Presented) The composition of claim 26, wherein said alkyl phosphate is a monoalkyl phosphate having the formula $R_1PO(OH)_2$ and a dialkyl phosphate having the formula $(R_2O)(R_3O)PO(OH)$, wherein each of R_1 , R_2 and R_3 is independently an alkyl.
- 33. (Currently Amended) The composition of claim 32, wherein said alkyl group is a C_1 to C_{10} alkyl group.
- 34. (Original) The composition of claim 32, wherein said alkyl group is a C_1 to C_5 alkyl group.
- 35. (Currently Amended) The composition of claim [[25]] <u>26</u>, wherein said alkyl phosphate is amyl acid phosphate.

36. (Original) The composition of claim 26, wherein said polymer is natural or synthetic polymer

- 37. (Canceled)
- 38. (Currently Amended) A method of improving the adhesion performance of an ink or coating composition comprising adding to said composition an agent comprising the reaction product of one or more polymers having a terminal or pendant hydroxyl group, or a terminal or pendent carboxyl group, or combinations thereof, said one or more polymers including a ketone-formaldehyde copolymer, and at least one metal complex and at least one alkyl phosphate.
- 39. (Original) The method of claim 38 wherein the viscosity stability of an ink or coating composition is also enhanced.
- 40. (Original) The method of claim 40, wherein said metal complex is metal orthoester.
- 41. (Original) The method of claim 40, wherein said metal orthoester has the formula metal(OR)₄, wherein each of the four R groups is independently an alkyl group.
- 42. (Original) The method of claim 41, wherein said alkyl group is a C_1 to C_8 alkyl group.
- 43. (Original) The method of claim 41, wherein said alkyl group is a C_3 to C_4 alkyl group.
- 44. (Original) The method of claim 40, wherein said metal orthoester is tetraisopropylitanate.
- 45. (Previously Presented) The method of claim 38, wherein said alkyl phosphate is a monoalkyl phosphate having the formula $R_1PO(OH)_2$ and a dialkyl phosphate having the formula $(R_2O)(R_3O)PO(OH)$, wherein each of R_1 , R_2 and R_3 is independently an alkyl.
- 46. (Currently Amended) The method of claim 45, wherein said alkyl group is a C_1 to C_{10} alkyl group.
- 47. (Original) The method of claim 45, wherein said alkyl group is a C_1 to C_5 alkyl group.

48. (Original) The method of claim 38, wherein said alkyl phosphate is amyl acid phosphate.

- 49. (Original) The method of claim 38, wherein said polymer is natural or synthetic polymer.
 - 50. (Canceled)
- 51. (Currently Amended) A method of stabilizing the viscosity of an ink or coating composition comprising adding to said composition an agent comprising the reaction product of one or more polymers having a terminal or pendant hydroxyl group, or a terminal or pendent carboxyl group, or combinations thereof, said one or more polymers including a ketone-formaldehyde copolymer, with at least one metal complex and at least one alkyl phosphate.
- 52. (Original) The method of claim 51, wherein said metal complex is metal orthoester.
- 53. (Original) The method of claim 51, wherein said metal orthoester has the formula metal(OR)₄, wherein each of the four R groups is independently an alkyl group.
- 54. (Original) The method of claim 53, wherein said alkyl group is a C_1 to C_8 alkyl group.
- 55. (Original) The method of claim 53, wherein said alkyl group is a C_3 to C_4 alkyl group.
- 56. (Original) The method of claim 51, wherein said metal orthoester is tetraisopropyltitanate.
- 57. (Previously Presented) The method of claim 51, wherein said alkyl phosphate is a monoalkyl phosphate having the formula $R_1PO(OH)_2$ and a dialkyl phosphate having the formula $(R_2O)(R_3O)PO(OH)$, wherein each of R_1 , R_2 and R_3 is independently an alkyl.
- 58. (Original) The method of claim 57, wherein said alkyl group is a C_1 to C_{10} alkyl group.
- 59. (Original) The method of claim 57, wherein said alkyl group is a C_1 to C_5 alkyl group.

60. (Original) The method of claim 51, wherein said alkyl phosphate is amyl acid phosphate.

- 61. (Original) The method of claim 51, wherein said polymer is natural or synthetic polymer.
 - 62. (Canceled)